


Cauce: RIO ZUJAR


Huso: 30

Provincia: Badajoz

[illegible]



		ENERO 10-01-2012	FEBRERO 01-02-2012	MARZO 12-03-2012	ABRIL 25-04-2012	MAYO 15-05-2012	JUNIO 25-06-2012	JULIO 16-07-2012	AGOSTO 08-08-2012	SEPTIEMBRE 24-09-2012	OCTUBRE 09-10-2012	NOVIEMBRE	DICIEMBRE
Benzo(g,h,i)Perileno	µg/L	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	---	---
Benzo(k)Fluoranteno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
b-hch	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Bicarbonatos	mg/L	65,3	64,5	61,8	69,3	71,6	70,7	74,5	74,3	75,6	73,8	---	---
Boro	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Bromodiclorometano	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
Bromoforno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
Cadmio	µg/L	< 1,000	< 1,000	< 1,000	< 1,000	---	---	< 1,000	< 1,000	< 1,000	< 1,000	---	---
Cadmio	mg/L	---	---	---	---	< 0,025000	< 0,025000	---	---	---	---	---	---
Calcio	mg/L	16,1900	17,4300	16,6200	17,7500	17,4400	17,0300	17,9300	17,6500	18,3000	18,7400	---	---
Carbonatos	mg/L	< 0,1	< 0,1	4,6	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	---	---
Cianuro Total	mg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Cinc	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Clorf env inf os	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Clorobenceno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
Clorof ormo	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Clorpirif os	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Cloruros	mg/L	17,1	17,3	20,1	19,8	20,4	20,7	20,2	20,3	21,2	21,1	---	---
Cobalto	mg/L	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	---	---
Cobre	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Color	mg/L	8,0	8,8	8,3	6,6	7,0	6,8	6,2	6,1	6,0	5,4	---	---
Compuesto de butilestano(mono, di y tri)	µg/L	< 0,020	< 0,020	---	---	---	---	---	---	---	---	---	---
Conductividad	µS/cm	220	217	221	230	233	227	349	231	239	240	---	---
Cromo	µg/L	< 2,000	< 2,000	< 2,000	< 2,000	---	---	< 2,000	< 2,000	< 2,000	< 2,000	---	---
Cromo	mg/L	---	---	---	---	< 0,025000	< 0,025000	---	---	---	---	---	---
Cryseno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
D.B.O. 5d	mg/L	0,9	0,5	3,4	1,3	1,0	0,7	0,4	0,5	0,4	0,7	---	---
Desetilatrazina	µg/L	< 0,020	< 0,020	&									




Cauce: RIO ZUJAR

Huso: 30

Provincia: Badajoz

		ENERO 10-01-2012	FEBRERO 01-02-2012	MARZO 12-03-2012	ABRIL 25-04-2012	MAYO 15-05-2012	JUNIO 25-06-2012	JULIO 16-07-2012	AGOSTO 08-08-2012	SEPTIEMBRE 24-09-2012	OCTUBRE 09-10-2012	NOVIEMBRE	DICIEMBRE
d-hch	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Diazinon	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Dibromoclorometano	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Diclorobenceno(isómeros orto, meta y para)	µg/L	---	---	---	---	---	---	---	---	---	---	---	---
Diclorometano	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Dieldrín	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Diuron	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
D.Q.O. 10min	mg/L	4,3	3,9	4,7	3,3	3,8	3,9	2,0	4,5	4,5	4,2	---	---
Dureza permanente	mg/L	---	---	---	---	---	---	---	---	---	---	---	---
Dureza total	mg/L	73,4	79,4	74,6	80,2	78,7	77,4	80,8	79,6	82,7	83,8	---	---
Endosulfán I	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Endosulfán II	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Endosulfán Sulfato	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Endrín	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Endrín Aldehído	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Estaño	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Estireno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
Estroncio	mg/L	< 0,5000	< 0,5000	< 0,5000	< 0,5000	< 0,5000	< 0,5000	< 0,5000	< 0,5000	< 0,5000	< 0,5000	---	---
Etilbenceno	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Etil-Paratión	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Fenantreno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Fenoles	mg/L	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	---	---
Fluoranteno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Fluoreno	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Fluoruros	mg/L	0,16	0,14	0,14	0,16	0,17	0,15	0,14	0,15	0,17	0,17	---	---
Fosfatos	mg/L	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	---	---
Fósforo total	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Heptacloro	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Heptacloro epóxido	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---




Cauce: RIO ZUJAR

Huso: 30


Provincia: Badajoz

[illegible]



Huso: 30

		ENERO 10-01-2012	FEBRERO 01-02-2012	MARZO 12-03-2012	ABRIL 25-04-2012	MAYO 15-05-2012	JUNIO 25-06-2012	JULIO 16-07-2012	AGOSTO 08-08-2012	SEPTIEMBRE 24-09-2012	OCTUBRE 09-10-2012	NOVIEMBRE	DICIEMBRE
PCB 153	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PCB 180	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PCB 28	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PCB 52	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Pentaclorobenceno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
pH	pH	7,8	7,8	8,3	8,1	8,1	8,1	8,0	8,1	8,0	8,2	---	---
Pireno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Plomo	µg/L	< 1,000	< 1,000	< 1,000	< 1,000	---	---	< 1,000	< 1,000	< 1,000	< 1,000	---	---
Plomo	mg/L	---	---	---	---	< 0,025000	< 0,025000	---	---	---	---	---	---
Potasio	mg/L	3,4100	3,4210	3,6050	3,5120	3,4370	3,3540	3,6400	3,6410	3,3770	3,6780	---	---
PP-DDD	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PP-DDE	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PP-DDT	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Prometon	µg/L	< 0,050	< 0,050	< 0,050	< 0,050	---	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	---	---
Prometrin	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Propazina	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Recuento de Coliformes totales	UFC/100	1000	< 10	30	320	300	1000	< 10	< 10	10	100	---	---
Selenio	µg/L	< 1,000	< 1,000	< 1,000	< 1,000	---	---	< 1,000	< 1,000	< 1,000	< 1,000	---	---
Selenio	mg/L	---	---	---	---	< 0,025000	< 0,025000	---	---	---	---	---	---
Sílice	mg/L	3,4800	4,4700	3,3190	2,6070	1,2070	< 0,8560	< 0,8560	< 0,8560	< 0,8560	< 0,8560	---	---
Simazina	µg/L	0,020	0,022	0,023	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Simetrín	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Sodio	mg/L	13,7000	15,1500	14,4900	15,0500	14,3500	14,7300	15,0200	14,7100	15,4100	15,7800	---	---
Sólidos en Suspensión	mg/L	< 10	< 10	< 10	< 10	< 10	< 10	12	< 10	< 10	< 10	---	---
Sulfatos	mg/L	18,6	20,3	18,9	19,5	21,1	20,3	19,9	19,7	20,2	20,2	---	---
Terbutilazina	µg/L	0,116	0,129	0,113	0,107	---	0,089	0,107	0,112	0,100	0,093	---	---
Terbutrín	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Tetracloroetileno (Percloroetileno)	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---



Cauce: RIO ZUJAR

Nombre de la masa de agua: EMBALSE DE LA SERENA

Huso: 30

[illegible]