


Cauce: RIO GUADIANA

Huso: 30


Provincia: Ciudad Real

[illegible]




Huso: 30

		ENERO 17-01-2012	FEBRERO 20-02-2012	MARZO 06-03-2012	ABRIL 24-04-2012	MAYO 22-05-2012	JUNIO 19-06-2012	JULIO 10-07-2012	AGOSTO 28-08-2012	SEPTIEMBRE 18-09-2012	OCTUBRE 24-10-2012	NOVIEMBRE	DICIEMBRE
Benzo(g,h,i)Perileno	µg/L	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	< 0,040	---	---
Benzo(k)Fluoranteno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
b-hch	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Bicarbonatos	mg/L	186,8	203,0	209,2	239,8	243,2	264,5	283,9	284,1	283,4	244,5	---	---
Boro	mg/L	0,1744	0,1615	0,1657	0,1651	0,1917	0,1673	0,2233	0,2687	0,2897	0,3097	---	---
Bromodiclorometano	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
Bromoformo	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
Cadmio	µg/L	< 1,000	< 1,000	< 1,000	< 1,000	---	---	---	< 1,000	< 1,000	< 1,000	---	---
Cadmio	mg/L	---	---	---	---	< 0,025000	< 0,025000	< 0,025000	---	---	---	---	---
Calcio	mg/L	386,8000	404,4000	417,5000	426,3000	434,6000	456,9000	467,8000	546,2000	597,6000	639,8000	---	---
Carbonatos	mg/L	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	31,9	---	---
Cianuro Total	mg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Cinc	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Clorfenifos	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Clorobenceno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
Cloroformo	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Clorpirifos	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Cloruros	mg/L	192,0	223,0	226,0	210,9	212,4	214,4	239,0	272,0	304,1	307,8	---	---
Cobalto	mg/L	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	---	---
Cobre	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Color	mg/L	41,5	43,2	45,3	44,2	46,2	53,9	56,4	52,9	56,0	51,0	---	---
Compuesto de butilestano(mono, di y tri)	µg/L	< 0,020	< 0,020	---	---	---	---	---	---	---	---	---	---
Conductividad	µS/cm	2709	2688	2714	2628	2595	2745	2907	3341	3550	3581	---	---
Cromo	µg/L	< 2,000	< 2,000	< 2,000	< 2,000	---	---	---	< 2,000	< 2,000	< 2,000	---	---
Cromo	mg/L	---	---	---	---	< 0,025000	< 0,025000	< 0,025000	---	---	---	---	---
Criseno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
D.B.O. 5d	mg/L	1,4	1,6	2,3	1,3	2,2	1,5	2,8	2,2	2,9	3,1	---	---
Desetilatrazina	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Desisopropilatrazina	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---




Huso: 30

		ENERO 17-01-2012	FEBRERO 20-02-2012	MARZO 06-03-2012	ABRIL 24-04-2012	MAYO 22-05-2012	JUNIO 19-06-2012	JULIO 10-07-2012	AGOSTO 28-08-2012	SEPTIEMBRE 18-09-2012	OCTUBRE 24-10-2012	NOVIEMBRE	DICIEMBRE
d-hch	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Diazinon	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Dibromoclorometano	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Diclorobenceno(isómeros orto, meta y para)	µg/L	---	---	---	---	---	---	---	---	---	---	---	---
Diclorometano	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Dieldrín	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Diuron	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
D.Q.O. 10min	mg/L	18,8	18,0	20,5	16,5	15,8	17,2	24,0	27,5	29,0	29,5	---	---
Dureza permanente	mg/L	---	---	---	---	---	---	1565,7	---	---	---	---	---
Dureza total	mg/L	1664,5	1609,2	1629,6	1661,5	1709,0	1759,4	1849,7	2166,0	2360,4	2466,3	---	---
Endosulfán I	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Endosulfán II	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Endosulfán Sulfato	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Endrín	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Endrín Aldehído	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Estaño	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Estireno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
Estroncio	mg/L	9,2590	9,0410	9,0880	8,9990	9,0080	9,4850	9,7340	11,5140	12,1800	13,9760	---	---
Etilbenceno	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Etil-Paratión	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Fenantreno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Fenoles	mg/L	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	---	---
Fluoranteno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Fluoreno	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Fluoruros	mg/L	0,61	0,59	0,57	0,59	0,59	0,64	0,66	0,69	0,75	0,68	---	---
Fosfatos	mg/L	< 0,05	< 0,05	0,09	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	< 0,05	---	---
Fósforo total	mg/L	< 0,1000	0,1090	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Heptacloro	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Heptacloro epóxido	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---




Huso: 30

		ENERO 17-01-2012	FEBRERO 20-02-2012	MARZO 06-03-2012	ABRIL 24-04-2012	MAYO 22-05-2012	JUNIO 19-06-2012	JULIO 10-07-2012	AGOSTO 28-08-2012	SEPTIEMBRE 18-09-2012	OCTUBRE 24-10-2012	NOVIEMBRE	DICIEMBRE
Hexaclorobenceno	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Hexaclorobutadieno	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Hidróxidos	mg/L	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	< 0,1	---	---
Hierro	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	---	---
Imazalil	µg/L	< 0,050	< 0,050	< 0,050	< 0,050	---	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	---	---
Indeno(1,2,3-cd)Pireno	µg/L	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	---	---
Isodrin	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Isoproturon	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Lindano	µg/L	< 0,010	< 0,010	< 0,010	< 0,010	---	< 0,010	< 0,010	< 0,010	< 0,010	< 0,010	---	---
Magnesio	mg/L	169,3000	145,2000	142,2000	144,6000	151,1000	149,8000	165,1000	194,3000	210,3000	210,4000	---	---
Malatión	µg/L	< 0,050	< 0,050	< 0,050	< 0,050	---	< 0,050	< 0,050	< 0,050	< 0,050	< 0,050	---	---
Manganeso	mg/L	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	< 0,1000	0,1136	0,1052	0,1236	< 0,1000	---	---
MCPA	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Mercurio	mg/L	0,000101	< 0,000050	< 0,000050	0,000120	0,000920	< 0,000050	< 0,000050	< 0,000050	0,000098	0,000059	---	---
Metil Paratión	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Metilclorpirifos	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Metolaclor	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Molinate	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
m,p-xileno	µg/L	< 2,00	< 2,00	< 2,00	< 2,00	< 2,00	< 2,00	< 2,00	< 2,00	< 2,00	< 2,00	---	---
MTBE	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Naftaleno	µg/L	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	< 2,50	---	---
Níquel	mg/L	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	< 0,0500	---	---
Oxifluorfen	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
Oxígeno disuelto	mg/L	10,4	10,4	9,6	8,4	9,3	7,8	6,3	6,7	7,8	8,1	---	---
o-xileno	µg/L	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	< 1,00	---	---
PCB 101	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PCB 118	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PCB 138	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---
PCB 153	µg/L	< 0,020	< 0,020	< 0,020	< 0,020	---	< 0,020	< 0,020	< 0,020	< 0,020	< 0,020	---	---



Huso: 30

[illegible]



Cauce: RIO GUADIANA

Nombre de la masa de agua: LAS TABLAS DE DAIMIEL

Huso: 30

[illegible]