


Huso: 30

		ENERO	FEBRERO	MARZO	ABRIL 22-04-2013	MAYO	JUNIO	JULIO	AGOSTO	SEPTIEMBRE	OCTUBRE	NOVIEMBRE 05-11-2013	DICIEMBRE
Isoproturon	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Lindano	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Magnesio	mg/L	---	---	---	45,1700	---	---	---	---	---	---	48,3600	---
Malatión	µg/L	---	---	---	< 0,050	---	---	---	---	---	---	< 0,050	---
Manganeso	mg/L	---	---	---	< 0,1000	---	---	---	---	---	---	< 0,1000	---
MCPA	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Mercurio	mg/L	---	---	---	< 0,000050	---	---	---	---	---	---	< 0,000050	---
Metil Paratión	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Metilclorpirifos	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Metolaclor	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Molinate	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Níquel	mg/L	---	---	---	< 0,0500	---	---	---	---	---	---	< 0,0500	---
Nitratos	mg/L	---	---	---	33,9	---	---	---	---	---	---	31,1	---
Olor	-----	---	---	---	0	---	---	---	---	---	---	0	---
Oxifluorfen	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
PAH	mg/L	---	---	---	< 0,00020	---	---	---	---	---	---	---	---
PCB 101	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
PCB 118	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
PCB 138	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
PCB 153	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
PCB 180	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
PCB 28	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
PCB 52	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
PCB's	µg/L	---	---	---	< 0,14	---	---	---	---	---	---	---	---
Pentaclorobenceno	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
pH	pH	---	---	---	7,6	---	---	---	---	---	---	7,7	---
Pireno	µg/L	---	---	---	< 0,010	---	---	---	---	---	---	< 0,010	---
Plaguicidas total	mg/L	---	---	---	< 0,00100	---	---	---	---	---	---	---	---
Plomo	µg/L	---	---	---	< 1,000	---	---	---	---	---	---	---	---



Huso: 30

		ENERO	FEBRERO	MARZO	ABRIL 22-04-2013	MAYO	JUNIO	JULIO	AGOSTO	SEPTIEMBRE	OCTUBRE	NOVIEMBRE 05-11-2013	DICIEMBRE
Plomo	mg/L	---	---	---	---	---	---	---	---	---	---	< 0,025000	---
Potasio	mg/L	---	---	---	2,2620	---	---	---	---	---	---	2,3400	---
PP-DDD	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
PP-DDE	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
PP-DDT	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Prometon	µg/L	---	---	---	< 0,050	---	---	---	---	---	---	< 0,050	---
Prometrin	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Propazina	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Recuento de Coliformes fecales	UFC/100	---	---	---	< 10	---	---	---	---	---	---	< 10	---
Recuento de Coliformes totales	UFC/100	---	---	---	< 10	---	---	---	---	---	---	< 10	---
Recuento de Estreptococos fecales	UFC/100	---	---	---	< 10	---	---	---	---	---	---	< 10	---
Selenio	µg/L	---	---	---	1,517	---	---	---	---	---	---	---	---
Selenio	mg/L	---	---	---	---	---	---	---	---	---	---	< 0,025000	---
Sílice	mg/L	---	---	---	10,5600	---	---	---	---	---	---	10,8300	---
Simazina	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Simetrín	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Sodio	mg/L	---	---	---	32,4100	---	---	---	---	---	---	38,3300	---
Sólidos en Suspensión	mg/L	---	---	---	< 10	---	---	---	---	---	---	< 10	---
Sulfatos	mg/L	---	---	---	258,6	---	---	---	---	---	---	272,6	---
Terbutilazina	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Terbutrín	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Trifluralín	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---