



Cause:

Nombre de la masa de agua: ZAFRA - OLIVENZA

Huso: 30

		ENERO	FEBRERO	MARZO	ABRIL 11-04-2016	MAYO	JUNIO	JULIO	AGOSTO	SEPTIEMBRE	OCTUBRE	NOVIEMBRE 09-11-2016	DICIEMBRE
PP-DDT (4,4-DDT)	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Prometon	µg/L	---	---	---	< 0,050	---	---	---	---	---	---	< 0,050	---
Prometrin	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Propazina	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Selenio	µg/L	---	---	---	1,085	---	---	---	---	---	---	< 1,000	---
Sílice	mg/L	---	---	---	20,1400	---	---	---	---	---	---	12,8700	---
Simazina	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Simetrín	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Sodio	mg/L	---	---	---	25,0200	---	---	---	---	---	---	23,4200	---
Sólidos en Suspensión	mg/L	---	---	---	< 10	---	---	---	---	---	---	< 10	---
Sulfatos	mg/L	---	---	---	30,6	---	---	---	---	---	---	27,0	---
Terbutilazina	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Terbutrín	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---
Trifluralín	µg/L	---	---	---	< 0,020	---	---	---	---	---	---	< 0,020	---